

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S258	10	calibrat\$3 with (sleep wak\$3)	EPO; JPO; IBM_TDB	OR	OFF	2004/12/13 18:01
S259	4	calibrat\$3 with slow adj2 clock	EPO; JPO; IBM_TDB	OR	OFF	2004/12/13 18:03
S260	12	calibrat\$3 with slow adj2 clock	USPAT	OR	OFF	2004/12/13 18:03
S261	2	calibrat\$3 with snooze	USPAT	OR	OFF	2004/12/13 18:56
S262	28	calibrat\$3 with delay adj (counter timer)	USPAT	OR	OFF	2004/12/14 11:02
S263	6	calibrat\$3 with (sleep wak\$3) adj (counter timer)	USPAT	OR	OFF	2004/12/14 11:06
S264	6	calibrat\$3 with (sleep wak\$3) adj2 (counter timer)	USPAT	OR	OFF	2004/12/14 11:06
S265	0	calibrat\$3 with (suspend standby) adj2 (counter timer)	USPAT	OR	OFF	2004/12/14 11:06
S266	0	calibrat\$3 with (sleep wak\$3) adj (counter timer)	EPO; JPO; IBM_TDB	OR	OFF	2004/12/14 11:06